

Features and Specifications

General

Buttons

Power, Feed

Flash RAM

64 MB

Housing colour

White and grey

LED

Status

RAM

256 MB

Technology

Direct thermal

Connectivity

Serial

RS-232C Serial (DB9 male)

USB interface

USB Ver. 2.0 (Full Speed) Type B

Wired network interface

10/100Base-TX

Dimensions & weights

Dimensions

108mm (W) x 155mm (D) x 224mm (H)

Weight

2.08 kg

In the box**AC adaptor power cord**

Yes

USB cable

Yes

User guide

Yes

Warranty card

Yes

Operating systems & software**Linux**

Linux

Windows

Windows 10, Windows 7, Windows 8

Android

Android 4.0.3 or later

iOS

For latest firmware, software updates and compatibility for O.S, please visit
https://support.brother.com/g/b/countrytop.aspx?c=eu_ot&lang=en

Printing**Bitmap fonts**

Helsinki, Letter Gothic Bold, San Diego, Brougham, Brussels, Gothic

Copies

1-9999 (ESC/P P-touch Template)

Label detection sensor

Yes

Maximum label width

118 mm

Maximum print length

3000 mm

Maximum print width

104 mm

Mirror printing

Yes

Resolution (dpi)

203

Sequential numbering

1 - 9999 / A - Z / a - z

Standard print speed

203 mm per second

Supported commands

P-touch Template, Raster, ESC/P, ZPL II emulation, CPCL emulation

P-touch Editor label design software

Database file compatibility

csv, Microsoft Access, Microsoft Excel

Date and time stamp

Date and time

Label length settings

25 mm (minimum)

Languages

English / Danish / Dutch / French / German / Italian / Norwegian / Portuguese / Spanish / Swedish / Finnish / Czech / Polish / Hungarian / Simplified Chinese / Russian / Turkish / Japanese

Microsoft Office add-in (highlight->click->print)

Excel, Outlook, Word

Screen capture

Yes

Typestyles

Bold, Horizontal lines, Invert, Italic, Normal, Outside frame, Shadow, Shadow light, Surround

Solutions**SDK (Software Development Kit)**

Yes

Supplies and accessories**Rolls**

RD rolls (die-cut and continuous)
