



TASKalfa 4002i

A3 B&W MFP



Product Overview

The TASKalfa 4002i black and white MFP is ideal for workgroups seeking to automate print, copy, and color scan workflows, while maximizing productivity. Offering superior performance and intuitive functionality, the TASKalfa 4002i transforms business processes with support for a wide range of paper sizes and media types.

Designed to make quick work of demanding applications, the scalable TASKalfa 4002i supports optional finishers to automate cumbersome manual tasks and expandable paper supply to ensure uninterrupted operation. Add to that Kyocera's award-winning ultra-reliability and unique long-life technology, and you have a powerful document solution that delivers superior performance and proven productivity.

- 40 ppm B&W
- Print/Scan/Copy/Fax
- 1200 x 1200 dpi
- Standard: 1,150 Sheets

Maximum: 7,150 Sheets

 [View eBrochure](#)



General Information

Technical Specifications






Technology	Kyocera TASKalfa Laser MFP
Control Panel Type	9" Color TSI
Product Category	A3 B&W MFP
Functions (Print / Scan / Copy / Fax)	Print/Scan/Copy/Fax
Engine Speed	40 ppm B&W
Warm-up Time	17 Seconds
First Page Out Time (print/copy)	Print: 5.1 Seconds B&W Copy: 4.5 Seconds B&W
Resolution	1200 x 1200 dpi
Bit Depth	8 Bit
CPU	Freescale QorIQ T1024 (Dual Core) / 1.2GHz
Memory (std/max)	Standard: 4 GB RAM Maximum: 4 GB RAM
Hard Disk Drive (Standard / Optional)	Standard: 320 GB HDD and 8 GB SSD
Electrical Requirements	120V: 60Hz, 12A; 220-240V: 50Hz, 7.2A
Dimensions (W x D x H)	60.2 cm x 66.5 cm x 79 cm
Mainframe Weight	180.8 lbs
Maximum Monthly Duty Cycle	175,000 Pages Per Month
Maximum average monthly print volume	NULL
Power Consumption	Typical Electricity Consumption (TEC): 120V: 1.9 kWh/week; 220V: 1.8 kWh/week



Input Capacity (std/max)	Standard: 1,150 Sheets Maximum: 7,150 Sheets
Output Capacity (std / max)	Standard: 500 Sheets Maximum: 4,000 Sheets
Paper Sources (std / max)	Standard: 2 Trays + 1 MPT Maximum: 5 Trays + 1 MPT
Maximum Paper Size	12" x 48"
Supported Paper Weights	Trays/MPT: 14 lb Bond - 166 lb Index
Input Materials	Plain Paper, Bond Paper, Recycled Paper, Envelopes, Cardstock, Transparencies, Labels
Standard Interface	10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots

Product Resources & Support Downloads

Need Technical Support? Call 1-800-255-6482

-  TASKalfa 4002i, Spec Sheet
-  TASKalfa_4002i__Spec_Sheet_FNL_September_2016.pdf
-  TASKalfa 6002i, Brochure
-  VPAT2.0 TASKalfa 4002i
-  Kyocera XPS print driver

[> View All Related Downloads](#)

[> Home](#) [> Products & Services](#) [> Where To Buy](#) [> Contact Us](#) [> Privacy Policy](#) [> Terms of Use](#) [> Global Site](#)

© KYOCERA Document Solutions America Inc.

Follow Us:    

