

Specifications

SKU

SKU	4ZB95A
------------	---------------

PRINT

Print speed, black	11 - 20
---------------------------	----------------

Color or black	Color
-----------------------	--------------

Print speed, color	<=10
---------------------------	----------------

CATEGORY

Product types	Laser printers
----------------------	-----------------------

Family brand	LaserJet
---------------------	-----------------

USAGE

Perfect for	Business
--------------------	-----------------

FEATURES

Features	Optional high-capacity trays
-----------------	-------------------------------------

Functions	Print only
------------------	-------------------

PRINTING MEDIA HANDLING

Finished output handling	Sheetfed
---------------------------------	-----------------

Output capacity	Up to 50 sheets
------------------------	------------------------

Maximum output capacity (sheets)	Up to 50 sheets
---	------------------------

Media type and capacity, tray 1	Sheets (75 g/m²): 150
--	---

Paper handling input, standard	150-sheet input tray
---------------------------------------	-----------------------------

Input capacity	Up to 150 sheets
-----------------------	-------------------------

Paper handling output, standard	50-sheet output bin
--	----------------------------

Maximum input capacity (sheets)	Up to 150 sheets
--	-------------------------

DISPLAY SPECIFICATIONS

Display	LED
----------------	------------

CARTRIDGES AND PRINTHEADS

Technology	Laser
-------------------	--------------

Number of print cartridges	4 (1 each black, cyan, magenta, yellow)
-----------------------------------	--

Replacement cartridges
HP 116A Original Laser Toner Cartridge (~1000/~700 pages)
W2060A/W2061A/W2062A/W2063A (AMS); HP 117A Original Laser Toner Cartridge (~1000/~700 pages)
W2070A/W2071A/W2072A/W2073A (EMEA); HP 118A Original Laser Toner Cartridge (~1000/~700 pages)
W2080A/W2081A/W2082A/W2083A (China Only); HP 119A Original Laser Toner Cartridge (~1000/~700 pages)
W2090A/W2091A/W2092A/W2093A (APJ excl China); Drum WW (less China) W1120A; Drum (China only) W1132A

PRINT SPEED

Print speed black (normal, letter) **Up to 19 ppm**

Print speed black (normal, A4) **Up to 18 ppm**

Print speed colour (normal, A4) **Up to 4 ppm**

Print speed **Print speed up to 19 ppm (black) and 4 ppm (color)**

Print speed color (normal, letter) **Up to 4 ppm**

BATTERY AND POWER

Power **110-volt input voltage: 110 to 127 VAC, 50/60Hz and 220-volt input voltage: 220 to 240 VAC, 50/60Hz**

Power Consumption Description

Active Printing: 282 W, Ready: 27 W, Sleep: 1.0 W, Manual off: 0.2 W, Auto off/Manual on: 0.2 W

Power supply type

Internal (built-in) Power Supply

PRINT TIME

First page out black (letter, ready)

As fast as 12.4 sec

First page out black (A4, ready)

As fast as 12.4 sec

First page out color (A4, ready)

As fast as 25.3 sec

First page out color (letter, ready)

As fast as 25.3 sec

First page out black (letter, sleep)

As fast as 13 sec (15 min)

First page out black (A4, sleep)

As fast as 13 sec (15 min)

First page out color (letter, sleep)	As fast as 26 sec (15 min)
---	-----------------------------------

First page out color (A4, sleep)	As fast as 26 sec (15 min)
---	-----------------------------------

PRINTER SPECIFICATIONS

Duty cycle (monthly, letter)	Up to 20,000 pages
-------------------------------------	---------------------------

Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser or HP Color Laser devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
------------------------	--

Functions	Print
------------------	--------------

Print languages	SPL
------------------------	------------

Paper trays, maximum	1
-----------------------------	----------

Duty cycle (monthly, A4)	Up to 20,000 pages
---------------------------------	---------------------------

Paper trays, standard	1
------------------------------	----------

Recommended monthly page volume	100 to 500
--	-------------------

Print technology	Laser
Duplex printing	Manual (driver support provided)
Warm-up time	38 sec
Automatic paper sensor	No
Print colours	Yes
Target user and print volume	For teams up to 5 users; Prints up to 500 pages/month

CERTIFICATION AND COMPLIANCE

ENERGY STAR® certified	No
Energy Efficiency Compliance	CECP
Electromagnetic Emission Standard	EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN55024: 2010, EN 55032: 2012/AC: 2013, 47 CFR Part 15, Subpart B I ANSI C63.4-2009, ICES-003 Issue 5, KN32, KN35, GB/T 9254-2008, GB17625.1-2012, CISPR22: 2008, CISPR32: 2012,CNS 13438 (Other EMC approvals as required by individual countries.)

**Safety
Approvals
and
Requirements**

IEC 60950-1: 2005 +A1: 2009 +A2 2013 (International); EN 60950-1: 2006 +A11: 2009 +A1: 2010 +A12: 2011 +A2: 2013 (EU); IEC/EN 60825-1: 2014 (Class 1 Laser Product); EN 62479: 2010 /IEC 62749: 2010; Low Voltage Directive 2006/95/EC with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2014-10; Compliance with Laser safety standards 21 CFR 1002.10 and 1002.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries

Environmental Mercury free

GEOGRAPHIC

Country of origin Product of China (150nW series and cartridges)

ENVIRONMENTAL

Operating humidity range 10 to 80% RH (non-condensing)

Storage temperature range -20 to 40°C

Operating temperature range 10 to 30°C

Acoustic power emissions 6.5B (A) (printing at 18 ppm with Mono mode); 6.1B (A) (printing at 4 ppm with Color mode)

Recommended operating temperature range 15 to 27°C

WARRANTY

Warranty **One-year limited hardware warranty; For more info please visit us at <https://support.hp.com>**

DIMENSIONS

Dimensions without stand (W x D x H) **382 x 309 x 211.5 mm**

Package dimensions (W x D x H) **471 x 413 x 305 mm**

Maximum dimensions (W x D x H) **382 x 397.8 x 274.4 mm**

WEIGHTS

Weight **10.04 kg**

Package weight **12.52 kg**

CONNECTIVITY AND COMMUNICATIONS

Connectivity, standard **Hi-Speed USB 2.0 port, Fast Ethernet 10/100Base-TX network port, Wireless 802.11 b/g/n**

Network capabilities **Via built-in 10/100 Base-TX networking**

Wireless capability **Yes, built-in Wi-Fi 802.11b/g/n**

Mobile printing capability **Apple AirPrint™; Google Cloud Print™; Mobile Apps; Mopria™ Certified; Wi-Fi® Direct printing**

Network protocols, supported	Via built-in networking solution: TCP/IP, IPv4, IPv6; print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), WSD; discovery: SLP, Bonjour, WS-Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6); management: SNMPv1/v2/v3, HTTP
-------------------------------------	--

SYSTEM COMPONENTS

Control panel	4 Buttons (Wireless, Resume, Cancel, Power): LED indicator lights (Attention, Power, Wireless, C/M/Y/K Toner Gauge)
----------------------	--

PROCESSOR

Processor speed	400 MHz
------------------------	----------------

MEMORY

Memory	64 MB
---------------	--------------

Memory, maximum	64 MB
------------------------	--------------

BOX CONTENTS

Cable included	1 USB PC to Printer (AP), 1 USB PC to Printer (WiFi bundle only for EMEA, AMS)
-----------------------	---

SUPPORTED PRINTING MEDIA

Media sizes supported	Tray1: A4; A5; A6; B5 (JIS); Oficio 216 x 340; Tray2: Not supported; Optional Automatic duplexer: Not supported
------------------------------	--

Media size, tray 1	A4; A5; A6; B5 (JIS); Oficio 216x340; 76 x 148.5 to 216 x 356 mm
---------------------------	---

Media weight, supported	60 to 220 g/m²
--------------------------------	----------------------------------

Media types	Plain, Light, Heavy, Extra Heavy, Colored, Preprinted, Recycle, Labels, Bond, Glossy
--------------------	---

Media weight (tray 1)	60 to 220 g/m²
------------------------------	----------------------------------

Media sizes, custom	76 x 148.5 to 216 x 356 mm
----------------------------	-----------------------------------

Media sizes supported, key	10 x 15 cm; A4
-----------------------------------	-----------------------

SYSTEM REQUIREMENTS

Minimum System Requirements for Macintosh	OS X v10.11 or newer, 1.5 GB HD, Internet, USB
--	---

Minimum System Requirements	Windows 7 or newer, Intel® Pentium® IV 1 GHz 32-bit or 64-bit processor or higher, 1 GB RAM, 16 GB HDD
------------------------------------	---

SOFTWARE AND APPLICATIONS

Driver updates	Latest supported operating systems and print drivers available at https://support.hp.com
-----------------------	--

Downloadable software	V3 Print Driver with Lite SM, Printer Manager (for USB only model)
------------------------------	---

Mac compatible	Yes
-----------------------	------------

Software included	Common Installer, V3 Print driver with Lite SM
--------------------------	---

SUPPORTED OPERATING SYSTEMS

Compatible Operating Systems	Windows®: 7 (32/64 bit), 2008 Server R2, 8 (32/64 bit), 8.1 (32/64 bit), 10 (32/64 bit), 2012 Server, 2016 Server, macOS v10.14 Mojave, macOS v10.13 High Sierra, macOS v10.12 Sierra, OS X v10.11 El Capitan
-------------------------------------	--

Compatible network operating systems	Windows®: 7 (32/64 bit), 2008 Server R2, 8 (32/64 bit), 8.1 (32/64 bit), 10 (32/64 bit), 2012 Server, 2016 Server, macOS v10.14 Mojave, macOS v10.13 High Sierra, macOS v10.12 Sierra, OS X v10.11 El Capitan
---	--

Operating system (supported note)	Windows 7 or higher
--	----------------------------

PRINT RESOLUTION

Print quality black (normal)	600 x 600 dpi
-------------------------------------	----------------------

Print quality black (best)	600 x 600 dpi 4 bits
-----------------------------------	-----------------------------

Print quality color (best)	600 x 600 dpi 4 bits
-----------------------------------	-----------------------------

Print resolution color (normal)	600 x 600 dpi
--	----------------------

RACK AND POWER SPECIFICATIONS

Typical electricity consumption (TEC) number	0.873 kWh/Week (BA), 0.988 kWh/Week (ES)
---	---

Number of users	1-5 Users
------------------------	------------------

PRINT AREA

Maximum print area	216 x 356 mm
---------------------------	---------------------

Right margin (A4)	5 mm
--------------------------	-------------

Top margin (A4)	5 mm
------------------------	-------------

Bottom margin (A4)	5 mm
---------------------------	-------------

Left margin (A4)	5 mm
-------------------------	-------------

SERVICES

Services (Care Pack)	UB4W6E - HP 2 year Onsite Exchange Service for Color Laser 15x and 17x MFP; UB4W7E - HP 3 year Onsite Exchange Service for Color Laser 15x and 17x MFP; UB4W8E - HP 4 year Onsite Exchange Service for Color Laser 15x and 17x MFP; UB4W9E - HP 2 year Next Business Day Exchange Service for Color Laser 15x and 17x MFP; UB4X0E - HP 3 year Next Business Day Exchange Service for Color Laser 15x and 17x MFP; UB4X1E - HP 4 year Next Business Day Exchange Service for Color Laser 15x and 17x MFP; UB4X2E - HP 2 year Standard Exchange Service for Color Laser 15x and 17x MFP; UB4X3E - HP 3 year Standard Exchange Service for Color Laser 15x and 17x MFP; UB4X4E - HP 4 year Standard Exchange Service for Color Laser 15x and 17x MFP; UB4X5E - HP 2 year Return to Depot Service for Color Laser 15x and 17x MFP; UB4X6E - HP 3 year Return to Depot Service for Color Laser 15x and 17x MFP; UB4X7E - HP 4 year Return to Depot Service for Color Laser 15x and 17x MFP
-----------------------------	--

ADVANCED FEATURES

Printer smart software features	Manual duplex, Booklet print, N-up printing, skip blank pages, Collation, Poster print, Watermarks, Accepts a variety o paper sizes and types
--	--

Energy savings feature technology

HP Auto-Off Technology; Power save

SECURITY MANAGEMENT

Security management

Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change; SNMPV2&V3; IPSec; Filtering: MAC, IPv4, IPv6

COMPATIBILITY

Orderable supplies

HP 120A Original Laser Imaging Drum for WW W1120A, HP 132A Original Laser Imaging Drum for China W1132A, HP Laser Toner Collection Unit for WW 5KZ38A, HP Laser Toner Collection Unit for China 5LX86A
