

## SP 230 compact desktop printer specifications

With SP 230, you have quiet, compact printers that are easy to maintain and cost you less. They fit comfortably into small spaces and give you complete control of your work, from simple set up to high speed output. And with wired and wireless connectivity for easy collaboration and a user-friendly LCD interface, printing is easy.

## All printers in this series feature;

- The lowest noise level in their class less than 49B(A)
- Print 30 pages per minute
- SP 230DNw offers fast, simple printing at lower costs
- SP 230SFNw is a compact 4-1 solution

## SP 230DNw/ SP 230SFNw

MAIN SPECIFICATIONS

	SP 230DNw		SP 230SFNw
GENERAL			
Warm-up time (seconds)		28	
First output speed: B/W		8.5	
(seconds)		30	
Continuous output speed (ppm) Memory: maximum (MB)	128	30	256
Dimensions: W x D x H (mm)	356 x 360 x 183		410 x 399 x 319
Weight (kg)	7.3		11.8
Power source		220 - 240 V, 50/60 Hz	
COPIER			
Copying process	Laser beam scanning and electro-photographic prin	ting	
Multiple copying	Up to 99 copies		
Resolution	600 x 600 dpi, 1,200 x 1,200 dpi		
Enlargement/reduction	25 - 400%		
PRINTER			
Printing process	Dry, single component & electro-photographic printing	ng	
Printer language	GDI		
Print resolution: maximum (dpi)	600 x 2,400 dpi equivalent		
Interface	USB 2.0, Ethernet 10 base-T/100 base-TX, Wireless LAN (IEEE 802.11b/g/n)		
Mobile printing capability	Apple AirPrint™, Mopria, Google Cloud Print		
Windows® environments	Windows® 7/8.1/10, Windows® Server 2008/2012/2012R2/2016		
Mac OS environments	Macintosh OS X v10.11 - v10.13		
Other supported environments	Linux environment		
SCANNER			
Scanning: B/W (ipm)	-		22
Scanning: full colour (ipm)	-		7
Resolution: maximum (dpi)	-		1,200
FAX			
Compatibility	G3		
Transmission speed (seconds)	2.5		
Modem speed: maximum (Kbps)	33.6		
PAPER HANDLING			
Recommended paper size		A4, A5, A6, B4	
Paper input: maximum (sheets)		250	
Paper output: standard (sheets)	150		120
Paper weight (g/m²)		60 - 163	
ECOLOGY			
Power consumption: max. (kW)		Less than 1.104	
Power consumption: operation	460		440
(kW)	Loop them 40		Loss than 42
Power consumption: ready (W) Power consumption: sleep (W)	Less than 48 Less than 6		Less than 42 Less than 6.2
SOFTWARE	vice management only (not embedded), Device Mana	oger NV	
@Remote, Streamline NX V3, de	vice management only (not embedded), Device Mana	iger NX	
Starter toner (prints)	700		
Starter toner (prints)  Drum (sheets)	12,000		
Toner (regular yield) (prints)	1,200		
	3,000		
Toner (high yield) (prints) Consumable yield measuring	5,000		











ISO9001 certified, ISO14001 certified, ISO27001 certified

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2018 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.

imagine. change.

**RICOH** 

www.ricoh-europe.com