

HP OfficeJet Pro 9730 Wide Format All-in-One Printer (537P5C)

Functions	Print, copy, scan
Print speed black (ISO)	Up to 22 ppm
Print speed black (draft, letter)	Up to 34 ppm
Print speed black (draft, A4)	Up to 34 ppm
Print speed black (ISO, letter)	Up to 22 ppm
Print speed black (ISO, A4)	Up to 22 ppm
Print speed black (best, A4)	Up to 5 ppm
Print speed color (ISO)	Up to 18 ppm
Print speed color (draft, letter)	Up to 34 ppm
Print speed color (draft, A4)	Up to 34 ppm
Print speed color (ISO)	Up to 18 ppm
Print Speed Color (ISO)	Up to 18 ppm
First page out black (letter, ready)	As fast as 12 sec
First page out black (A4, ready)	As fast as 12 sec
First page out color (letter, ready)	As fast as 13 sec
First page out color (A4, ready)	As fast as 13 sec
Duplex printing	Automatic
Duty cycle (monthly, letter)	Up to 30,000 pagesUp to 30,000 pages (HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.)
Duty cycle (monthly, A4)	Up to 30,000 pages (HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.)
Recommended monthly page volume	250 to 1500 ¹ (HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.)
Print quality black (best)	Up to 1200 x 1200 rendered dpi
Print quality color (best)	Up to 4800 by 1200 optimized dpi on HP Advance Photo Paper 1200 by 1200 dpi input
Print languages	HP PCL 3 GUI, HP PCL 3 Enhanced
Print technology	HP Thermal Inkjet
Connectivity, standard	1 Ethernet; 1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 Wi-Fi 802.11 a/b/g/n/ac (dual band)
Mobile printing capability	Chrome OS; HP Smart app; Apple AirPrint™; Mobile Apps; Wi-Fi® Direct Printing; Mopria™ Certified ²

Network capabilities	Yes, via built-in Ethernet; Wireless 802.11a/b/g/n/ac
Wireless capability	Yes, with built-in dual-band Wi-Fi 802.11 a/b/g/n/ac and a self-heal solution
Wireless technologies	802.11 a/b/g/n/ac 1x1 (2.4/5 GHz) with (BLE).
Minimum System Requirements for Macintosh	Apple® macOS v11 Big Sur, macOS v12 Monterey, macOS v13 Ventura; 2 GB HD; Internet required
Minimum System Requirements	Microsoft® Windows® 11, 10: 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft® Internet Explorer or Edge
Digital sending standard features	Scan to PC; Scan to Memory Device; Scan to email
Display	4.3" LCD (color) with Cap Sense touchscreen function
Processor speed	1.2 GHz
Maximum Memory	512 MB
Memory	512 MBNone (None)
Internal Storage	Not Supported
Compatible Operating Systems	Windows 11; Windows 10; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS ³ (Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit; Linux (For more information see http://developers.hp.com/hp-linux-imaging-and-printing))
Paper handling input, standard	250-sheet input tray, 250-sheet plain paper tray,
Paper handling output, standard	75-sheet output tray
Paper handling input, optional	No
Finished output handling	Sheetfed
Media types	Plain; HP EcoFFICIENT; HP Premium Presentation Matte 120g; HP Tri-fold Brochure Glossy 180g; HP Brochure Matte 180g; HP Brochure Glossy 180g; HP Advanced Photo Papers; Light 60-74g
Media sizes supported	A4; A5; A6; B5 (JIS); Envelope (DL, C5, C6, Chou #3, Chou #4); Card (Hagaki); A3
Media sizes, custom	Tray 1: 76 x 127 to 297 x 420 mm; Tray 2: 210 x 297 to 297 x 420 mm
Borderless printing	Yes (up to A3/11 x 17-in)
Media weight, recommended	60 to 105 g/m ²
File Format Supported	PDF; TIFF; JPEG
Scanner type	Flatbed, ADF
Scan file format	Scan File Type supported by Software: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)
Scan resolution, optical	Up to 1200 dpi
Scan resolution, hardware	Up to 1200 x 1200 dpi
Scan size (ADF), maximum	216 x 356mm

Scan size, maximum	297 x 432 mm
Scan speed (normal, A4)	Up to 8/6 ipm (B&W/Color 200 ppi)
Scan speed duplex (normal, A4)	Up to 14/11 ipm(B&W/Color 200 ppi)
Automatic document feeder capacity	Standard, 35 sheets
Scan technology	Contact Image Sensor (CIS)
Copy Speed Black (maximum, A4)	⁴ Copy speeds may vary depending on the type of document.
Copy speed black (ISO)	Up to 18 cpm ⁴
Copy speed color (ISO)	Up to 13 cpm ⁴
Copy speed black (best, A4)	Up to 4 cpm ⁴
Copy speed color (best, A4)	Up to 4 cpm ⁴
Copy resolution (black text)	Up to 600 dpi
Copy resolution (color text and graphics)	Up to 600 dpi
Copy resolution (black graphics)	Up to 600 dpi
Copies, maximum	Up to 99 copies
Copy reduce / enlarge settings	25 to 400%
Copier settings	Copies; Size; Quality; Tray Selection; Lighter/Darker; Paper size; Resize; Paper Type; Two-sided; ID Copy, Collate; binding Margin; Enhancement; Crop; Copy preview
Fax Transmission Speed	⁵ (Analog Fax not supported)
Fax memory	(Analog Fax not supported)
Power consumption	0.11 watts (Manual-Off), 5.40 watts (Standby), 1.39 watts (Sleep)None
Power	Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz
Operating humidity range	20 to 80% RH
Recommended operating humidity range	25 to 75% RH
Operating temperature range	5 to 40°C
Operating temperature range	41 to 104°F
Blue Angel compliant	No, please refer to the ECI (Ecolabel Comparison Information) document
Energy savings feature technology	Schedule On and Schedule Off
Ecolabels	EPEAT® registered
Energy star certified	No

Safety	IEC 62368-1:2014/EN 62368-1:2014+A11:2017/BS EN 62368-1:2014+A11:2017; IEC 62368-1:2018/EN IEC 62368-1:2020+A11:2020/ BS EN IEC 62368-1:2020+A11:2020; IEC 60950-1:2005+A1:2009+A2:2013; ANSI/UL 62368-1: 3rd Edition;CAN/CSA C22.2 No. 62368-1-19: 3rd Edition; Germany GS (Safety); China CCC; Taiwan BSMI
Security management	SSL/TLS (HTTPS); IPP over TLS; Pre-Shared Key Authentication for Wireless (PSK); Firewall; certificates configuration; Control panel lock; Password protect EWS; Syslog; Signed firmware; Administrator settings
Minimum dimensions (W x D x H)	581 x 467 x 386 mm (Output Tray + Cleanout Door not extended) ⁶
Maximum dimensions (W x D x H)	581 x 842 x 386 mm (Output Tray + Cleanout Door fully extended) ⁶
Weight	19.5 kg
Product color	Cement
What's in the box	HP OfficeJet Pro 9730 Wide Format All-in-One Printer; HP 938 Setup Black Ink Cartridge; HP 938 Setup Cyan Ink Cartridge; HP 938 Setup Magenta Ink Cartridge; HP 938 Setup Yellow Ink Cartridge; Regulatory Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide; [For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies]
Number of print cartridges	4 (1 each black, cyan, magenta, yellow)
Replacement cartridges	HP 936 Black Original Ink Cartridge (~1,250 pages) 4S6V2LN, HP 936 Cyan Original Ink Cartridge (~800 pages) 4S6U9LN; HP 936 Magenta Original Ink Cartridge (~800 pages) 4S6V0LN; HP 936 Yellow Original Ink Cartridge (~800 pages) 4S6V1LN. HP EvoMore planned to be available April 2024: HP 936e EvoMore Black Original Ink Cartridge (~2,500 pages) 4S6V6LN; HP 936e EvoMore Cyan Original Ink Cartridge (~1,650 pages) 4S6V3LN; HP 936e EvoMore Magenta Original Ink Cartridge (~1,650 pages) 4S6V4LN; HP 936e EvoMore Yellow Original Ink Cartridge (~1,650 pages) 4S6V5LN. Actual yield varies considerably based on content of printed pages and other factors. For details, see https://www.hp.com/go/learnaboutsupplies
Manufacturer Warranty	Standard one-year HP commercial hardware warranty. Three-year HP commercial hardware warranty after registration within 60 days of purchase (see www.hp.com/eu/3yearwarranty). Warranty and support options vary by product, country and local legal requirements.