



KONICA MINOLTA

**bizhub** C4001i/C3301i  
Colour A4 printer

**bizhub  
i-SERIES IS  
SMARTER  
WORKING**  
RETHINK IT



Giving Shape to Ideas

## CUSTOMER BENEFITS



### Intuitive operability

Operate the bizhub like a smartphone or tablet with fully customised user interface



### Mobile connectivity

Print anytime from anywhere with Konica Minolta's innovative mobile technologies



### Services

Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup



### Sustainability

Numerous eco features reduce energy consumption and costs

## OPTIONS

### 1 ENHANCED FEATURES

Serverless pull printing<sup>1</sup>  
LK-114

### 2 CONNECTIVITY

Wireless LAN  
UK-221

USB I/F kit  
EK-P08

USB I/F kit w Bluetooth LE  
EK-P09


NFC I/F kit  
EK-P10

I/F cable for CSRC modem  
EK-P11

Biometric authentication  
AU-102

Card authentication  
ID card reader

Mount kit  
MK-P08



### 2 OTHERS

10-Key pad  
KP-P03

Keyboard holder  
KH-P02

Working table  
WT-P03

### 4 MEDIA INPUT

Paper tray  
PF-P20

Paper tray  
PF-P27

Height adjustment unit  
PF-P22

Copier desk  
DK-P04

### 5 MEDIA OUTPUT

Off-line stapler  
FS-P04

### LEGEND

- Mandatory option
- Option
- This option can only be installed with the respective option above it

<sup>1</sup> Not available with C3301i

## FINISHING FUNCTIONALITIES



Duplex



Corner  
Stapling  
(offline)

## DESCRIPTION

### ENHANCED FEATURES

LK-114 Serverless pull printing <sup>1</sup>	Secure and Follow Me printing solution requiring no server application
--	--

### CONNECTIVITY

UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
EK-P08 USB I/F kit	USB keyboard connection
EK-P09 USB I/F kit	USB keyboard connection; Bluetooth
EK-P10 NFC I/F kit	To connect with Android mobile devices
EK-P11 I/F cable for CSRC modem	GPRS modem connection for CSRC
AU-102 Biometric authentication	Finger vein scanner
ID card reader	Various ID card technologies
MK-P08 Mount kit	Installation kit for ID card reader

### OTHERS

KP-P03 10-Key pad	For use instead of touchscreen
KH-P02 Keyboard holder	To place USB keyboard
WT-P03 Working table	To place authentication device

### MEDIA INPUT

PF-P20 Paper tray	500 sheets, A4, 60-90 g/m <sup>2</sup>
PF-P27 Paper tray	500 sheets, A4, 60-90 g/m <sup>2</sup>
PF-P22 Height adjustment unit	To achieve comfortable height for operation
DK-P04 Copier desk	Provides storage space for print media and other materials

### MEDIA OUTPUT

FS-P04 Off-line stapler	20-sheet off-line stapling
-------------------------	----------------------------

## TECHNICAL SPECIFICATIONS

### SYSTEM SPECIFICATIONS

	C4001i	C3301i
System speed A4	Up to 40/40 ppm (mono/colour)	Up to 33/33 ppm (mono/colour)
Autoduplex speed A4	Up to 40/40 ppm (mono/colour)	Up to 33/33 ppm (mono/colour)
1st page out time A4	8.0/8.7 sec. (mono/colour)	8.7/9.6 sec. (mono/colour)
Warm-up time Approx.	16/17 sec. (mono/colour) <sup>2</sup>	16/17 sec. (mono/colour) <sup>2</sup>
Imaging technology	Laser	
Toner technology	Simitri® V polymerised toner	
Panel size/resolution	7" / 800 x 480	
System memory	4,096 MB (standard/max)	3,072 MB (standard/max)
System storage	8 GB (standard)	
Interface	10/100/1,000-Base-T Ethernet; USB 2.0 / USB 3.0; USB host; Wi-Fi 802.11 b/g/n/ac (optional)	
Network protocols	TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour	
Printable paper size	A6-A4; customized paper sizes	
Printable paper weight	60-210 g/m <sup>2</sup>	
Paper input capacity	600 sheets / 2,100 sheets (standard/max)	
Paper tray input (standard)	1x 500; A6-A4; custom sizes; 60-210 g/m <sup>2</sup>	
Paper tray input (optional)	PF-P20 500 sheets; A4; 60-210 g/m <sup>2</sup> PF-P27 500 sheets; A4; 60-210 g/m <sup>2</sup>	
Manual bypass	100 sheets; A6-A4; custom sizes; 60-210 g/m <sup>2</sup>	
Finishing modes (optional)	Group; Sort; Staple (offline)	
Automatic duplexing	A4; 60-210 g/m <sup>2</sup>	
Output capacity	Up to 250 sheets	
Duty cycle (monthly)	Rec. 6,500 pages; Max. <sup>3</sup> 120,000 pages	
Toner lifetime	Black up to 13,000 pages CMY up to 9,000 pages	
Imaging unit lifetime	Black up to 200,000 pages (imaging unit) CMY up to 100,000 pages (imaging unit)	
Power consumption	220-240 V / 50/60 Hz; Less than 1.45 kW	
System dimension (W x D x H)	420 x 528 x 473 mm (without options)	
System weight	Approx. 33.2 kg (without options)	

### PRINTER SPECIFICATIONS

Print resolution	600 x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Operating systems	Windows 10 (32/64); Windows 11; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Windows Server 2022; macOS 10.14 or later; Unix; Linux; Citrix
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional: WiFi Direct

### SYSTEM FEATURES

Security	IP filtering and port blocking; SSL3 and TLS 1.1/1.2/1.3 network communication; IPsec support; IEEE 802.1x support; User authentication; Kerberos; Storage data overwrite; Storage data encryption (AES 256); Print user data encryption
Accounting	Up to 100 user accounts; Active Directory support (user name + password + e-mail + smb folder) optional: Biometric authentication (finger vein scanner); ID card authentication (ID card reader); Authentication by mobile device (Android/iOS)
Software	Data Administrator; Web Connection; Driver Packaging Utility; Log Management Utility

<sup>1</sup> Not applicable to bizhub C3301i

<sup>2</sup> Warm-up time may vary depending on the operating environment and usage

<sup>3</sup> If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

- All specifications refer to A4-size paper of 80 g/m<sup>2</sup> quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

SimitriV SAP® Printer Vendor Solution

CORTADO



Scan Me for more info!

**Konica Minolta Business Solutions Middle East DMCC**

Jumeirah Lakes Towers, Dubai

United Arab Emirates

Tel: +971 4 880 8388

URL: [www.konicaminolta.ae](http://www.konicaminolta.ae)

Email: [marketing-me@konicaminolta.com](mailto:marketing-me@konicaminolta.com)

**PRESENCE IN THE REGION**

SAUDI ARABIA . QATAR . KUWAIT . UAE. BAHRAIN

OMAN. PAKISTAN. YEMEN