## TOSHIBA

E-STUDIO 5518A

E-STUDIO 6518A

E-STUDIO 7518A

E-STUDIO 8518A

- > Black & White Multifunction Printer
- > Up to 85 PPM
- > Large Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Solutions Ready





### CONNECT. INTEGRATE. SIMPLIFY. AND MORE.

### Technology for every workplace, delivering advanced functionality, ease of use and peace of mind.

Every business is unique. That's why Toshiba offers the latest customisable solutions that can be tailored to meet your needs. Toshiba solutions help you simplify complex tasks while managing diverse information—efficiently and safely to maximize your productivity.

Our latest series delivers on the Toshiba promise of Together Information – our commitment to collaborate with clients in order to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you meet your green objectives.

- > Speeds of 55, 65, 75 and 85 PPM black & white
- Outstanding image quality and high volume output
- Advanced e-BRIDGE Next technology
- Fast dual-core processor

#### Faster, sleeker, and more volume than ever.

Toshiba introduces a new, sleek lineup that's as impressive on the outside as it is on the inside. Its ultra-modern look houses the latest innovative technologies, like crisp, clean monochrome output at a speed of up to 85 pages per minute and an impressive 6,020-sheet maximum paper capacity.


- > 1,200 dpi x 1,200 dpi, 2bit 3,600 dpi (Equivalence) x 1,200 dpi
- > High-speed, high-capacity Dual-Scan Document Feeder
- > Up to 720K maximum monthly copy volume

## Customisable user interface streamlines complicated multi-step processes into automated one-touch functions.

A fully-customisable user interface with an open platform enables departments to tailor settings and automate workflow including the integration of third-party solutions resulting in simple operation and improved efficiency. Let Toshiba place productivity and performance at your fingertips.

Customise and automate workflows specifically around your business processes

Boost productivity by reducing



Cost savings and greater efficiency through improved workflow and productivity



A larger 10.1" tablet-style touch screen with an embedded web browser is easy to use, and customisable to meet your needs, enhancing the sleek and modern look of the complete series.



## FEATURES AND BENEFITS AND MORE OF THEM.

With the Toshiba e-STUDIO8518A Series, you can improve workgroup connection, integrate and simplify, while improving efficiency with ultra-high-quality output at unprecedented volumes.

Higher Robust Speeds of 55/65/75/85 monochrome pages per minute.

Advanced e-BRIDGE Next Technology enables the MFP to drive Toshiba's internally developed embedded solutions or those from a third party with ease.

Fast Dual-Scan Document Feeder handles up to 300 sheets at a time and seamlessly scans both sides of each page in a single pass to produce a max of 240 images per minute (IPM).

e-Suite allows you to track and control copy, fax and scan jobs, and performs secure print release at Toshiba MFP.

10.1" Tablet-Style Touch Screen works intuitively, helping you access instructions, functions, and commands with the swipe of the finger.

**Print Around** eliminates printing bottlenecks by allowing other print jobs to go around a job that's held-up for a specific paper size or media type.

Limitless Job Reservation will queue up multiple copy or print jobs so users can send jobs whenever.

Saddle/Fold Capabilities offer saddle-stitch finishing and the option to fold without stapling.

Auto Skew Correction ensures your scanned documents are reproduced accurately.

e-BRIDGE Plus for USB lets you print PDF and JPG files straight from your USB drive and the MFP will scale document to fit the available paper size if necessary.

Scan-to USB is great for capturing a file quickly when you're on the go.

Scan Preview allows you to review your scanned documents on the 10.1" tablet-style touch screen, even rotate and change pages prior to sending to file or email.

Fax Preview saves valuable resources by letting you view received faxes prior to printing them.

Notifications Feature takes the hassle out of checking for depleted supplies or maintenance needs.

Paper Volume Indicators on the front panel make it easy to see the paper sizes, types, and levels in each cassette.

Multi-Station Print Enabler allows you to retrieve your print job from a series of networked MFPs via simple authentication, now with support of up to 50 e-BRIDGE MFPs.









# HOW TOSHIBA IS RAISING THE STANDARD.

When it comes to seamless workflow and simplified integration, the e-STUDIO8518A Series represents the finest Toshiba has to offer. The latest e-BRIDGE Next technology enables complete third-party integration and support for internally driven solutions.

AirPrint® and Mopria® support address the printing needs of mobile device users, while Wi-Fi Direct simplifies access to the MFP. Toshiba's exclusive e-BRIDGE Print & Capture application enables users additional printing features and the ability to scan documents back to their tablets or smart phones.

PCL 6, PS3, and XPS support, a universal print driver and our Toshiba V4 driver with Toshiba Print Experience provide fast and easy connectivity with Windows®, Macintosh® and beyond.

#### Cloud Support

With Google Cloud Print™ support, you can securely print over the web from anywhere, anytime—including your phone—to an e-STUDIO Series MFP. e-BRIDGE Plus for Google Drive™, e-BRIDGE Plus for OneDrive®, e-BRIDGE Plus for DropBox®, and e-BRIDGE Plus for box™ address all of the popular cloud-based mobility apps.\*

Embedded Applications for Office365®\*\* lets users scan to and print from their Office365® directly at the front panel of the e-STUDIO MFP or their mobile device. This includes Word™, Excel® and PowerPoint® (docx, xlsx, pptx) documents stored in OneDrive® accounts or SharePoint® locations. When combined with our embedded OCR feature, documents can be scanned into these popular Office™ formats as well.\*

\*Your network settings and/or access control may vary depending on network environment when installing e-BRIDGE Plus applications. For details, please consult Toshiba's sales person.

\*\*Available three applications; e-BRIDGE Plus for OneDrive® for Business, e-BRIDGE Plus for SharePoint® Online and e-BRIDGE Plus for Exchange Online

#### **Advanced Security**

Even more important than functionality is the security offered by the e-STUDIO8518A Series. Such technological advancements include:

- A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- IPsec is available to securely encrypt data sent to and from the MFP

#### **Environmental Protection**

Because we have been working to protect the environment as well as your security, you can rest assured Toshiba has what it takes to protect both.

- > ENERGY STAR V2.0 certified
- > RoHS compliance, the use of recycled plastics, and Super Sleep (0.6W) Mode work to help the environment
- EPEAT Gold Registered for greener electronics, designed to help purchasers choose products that reduce environmental impact
- The new e-STUDIO models' Typical [weekly] Electrical Consumption or TEC value is exceptionally low, equating to an environmentally friendly product with a low operating cost too
- e-BRIDGE Plus for Green Information provides users with a graphical display at the MFP of their environmental contribution to promote more effective use



## FEATURES, BENEFITS, AND THE WOW FACTOR.

#### 1 Accessory Tray & Options

GR-1330 – Accessory Tray GR-1340 – 10-Key Numeric Keypad

#### 2 Finishing Options

MJ-1111-B – 50-Sheet Console Finisher
MJ-1112-B – 50-Sheet Saddle Stitch Finisher
MJ-6106N – Hole Punch Unit
KA-6551 – Side Exit Tray

#### 3 Connectivity Options

GD-1370NA – Fax Unit/2nd Line for Fax Unit GN-4020 – Wireless LAN/Bluetooth Module

#### 4 Additional Paper Options

MP-2502-B-2,500 Sheet Large Capacity Feeder

#### Additional Option Highlights

- IPsec Security Enabler
- > Multi-Station Print Enabler
- > Embedded OCR Enabler
- e-Suite Print Management & Reporting Module



The Toshiba e-STUDIO8518A Series tops all previous machines and helps large workgroups improve productivity and connectivity while simplifying the overall workflow.

#### Double the Scan Speed

A 300-sheet high-speed, high-capacity Dual-Scan Document Feeder (DSDF) produces up to 120 IPM simplex and 240 IPM duplex.

#### e-Suite

Toshiba e-Suite provides a user friendly embedded user interface for secure print release, copy, scan, fax and card registration to all individual users. The users are able to monitor their balance of black/white and colour prints for better cost management.

Its powerful device management feature provides office adminstrators with detailed status monitoring and intelligent alerts that improve office MFPs uptime and device availability. Custom reports per device or function are generated automatically to keep an eye on usage and to control the costs.

#### **Volumes and Volumes**

A high monthly copy volume of 520K/590K/660K/720K respectively. Impressive toner yields of 106,600 at 5% coverage.

#### **Multi-Station Print Enabler**

Toshiba's internally developed Multi-Station Print Enabler allows users to send print jobs from their desktop and retrieve them at any convenient MFP by simply swiping their card and authenticating at that device.

#### Advanced e-BRIDGE Next Technology

Built on Linux®, this latest generation e-BRIDGE Next architecture features an Embedded Web Browser, an Intel Atom™ dual-core processor, 4GB RAM and a 320GB SED enabling the MFP to easily drive Toshiba's internally developed solutions and third-party applications.

### STUDIO 5518A/6518A/7518A/8518A

#### Main Specifications

Copy System Indirect Electrostatic Photographic Method/OPC/Laser Printing/

Heat Roller Fusing

Display 10.1" Colour WSVGA Touch Screen Tilting Display

 Copy Speed
 55/65/75/85 PPM (A4)

 First Copy Out
 5.2/5.2/4.5/4.1 Seconds

 Warm-Up Time
 Approx. 24/24/20/20 Seconds

Copy Resolution 2400dpi (Equivalence) x 600dpi (with Smoothing)

Stack Feed Bypass 100 x 148mm to 330 x 483mm, 313.4 x 1200 mm, Banner, Envelope

Multiple Copying Up to 9,999 Copies

Paper Capacity Standard 3,520 Sheets/Max. 6,020 Sheets (Tandem Drawer)

Original Feed Standard 300-Sheet DSDF

Scan Speed & Weights DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Colour), Simplex: 35-209gsm, Duplex: 35-209gsm

Max. Original Size A3

Paper Feed Sizes Drawers: 540 Sheets- A5R to 305 x 457 mm

Integral Tandem LCF 1,160 x 2 A4-Only

Stack Feed Bypass: 100 x 148mm to 330 x 483mm, 313.4 x 1200mm Banner

Opt. 2,500-Sheet Ext. LCF A4-Only - 60-256gsm

Paper Weights Tandem LCF 1,160 Sheets x 2- 60-256gsm

Plus 540 Sheets x 2- 60-256gsm

Stack Feed Bypass: 120 Sheets- 60-300gsm

Opt. 2,500-Sheet Ext. LCF LT-Only -16 lb Bond-140 lb Index

Duplex Standard Automatic Duplex Unit (60-256gsm)

Reproduction Ratio 25% to 400% Max Duty Cycle Max. 520K/590K/660K/720K Month

Weight Approx. 195kg

Weight Approx. 195kg

**Approx. Dimensions** 955 (W) x 698 (D) x 1,227 (H) mm **Toner Yield** 106,600 @ 5%

Power Source 220-240 Volts, 50/60 Hz, 16 Amps Maximum 2.4kW (220-240V)
CPU Intel Atom™ 1.33 GHz (Dual-Core)

Memory 4GB

Hard Disk Drive 320GB Self-Encrypting Drive

#### e-BRIDGE Next Print Specifications

PDL PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG

Print Speed 55/65/75/85 PPM (A4)

Print Resolution 600 x 600 dpi, 2,400 (Equivalence) x 600 dpi (With Smoothing), 1,200 x 1,200

dpi (2-bit) or 3,600 (Equivalence) x 1,200 dpi, PS Only

Operating Systems Windows Server® 2008 R2, R2 SP1, 2008/SP2, Windows® 7,8.1,10, Windows Server® 2012/R2, Windows Server 2016®, Macintosh® (macOS X 10.7.4, 10.8,

10.9, 10.10, 10.11, macOS 10.12, 10.13), Unix®, Linux®

Network Protocols TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for NovelI® Environments,

EtherTalk for Macintosh® Environments

Printing Protocols SMB, LPR/LPD, IPP (Ver.2.0) w/Authentication, AppleTalk® PAP or EtherTalk,

Port 9100 (bi-directional), NetWare P-SERVER LPD w/ iPrint, WS Print, FTP Windows Server® 2008 SP2 (32-bit, 64-bit) Windows Server® 2008 R2 SP1 (64-bit), Windows® 7 SP1 (32-bit, 64-bit), Windows® 8.1 (32-bit, 64-bit),

Windows 7 SP1 (32-bit, 64-bit), Windows 8.1 (32-bit, 64-bit), Windows Server 2016®, Windows® 10 (32-bit, 64-bit), macOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, macOS 10.12, 10.13 RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-speed) Optional

802.11b/g/n, Wireless LAN, Optional Bluetooth

Wireless Device AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android

(Available via Apple® App Store or Google Play)

**Device Management** TopAccess, EFMS 6.3 (e-BRIDGE Fleet Management Software) **Account Control** Up to 10,000 users or 1,000 Departments Supports User Authe

Up to 10,000 users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows® domain) or Login Name/Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function

Accessibility Features Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen

Timeout and Audible Beep Message Alerts

User Authentication, On-Board Data Scramble Function, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408)\* with HCD-PP v1.0, IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for firmware update, Integrity Check function, Image Log, Card Authentication, NFC Authentication

\*Conformance with HCD-PPv1.0 in High Security Mode.

Environmental Stds. ENERGY STAR® (V2.0), EPEAT Gold

Certification WHQL (Windows® 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell®, Citrix®,

SAP, AirPrint®, Mopria®

#### Scan Specifications

Scan Speed Scan Modes Scan Resolution

Security Features

DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Colour)

Standard: Full Colour, Auto Colour, Monochrome, Grayscale

Scan Resolution 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi

File Formats Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page

Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) Colour/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX

(Opt.), PPTX (Opt.)

Image Compression Colour/Grayscale: JPEG (High, Middle, Low)

#### Facsimile Specifications

Compatibility Data Compression

MH/MR/MMR/JBIG

Approx. 3 Seconds Per Page

Super G3

**Transmission Speed** Approx. 3 Seconds Per **Fax Modem Speed** Up to 33.6 Kbps

Memory Transmission 100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations/Job

Scan Speed 0.7 Seconds Per Page, Maximum 73 IPM

#### e-Filing Specifications

Operation Method Number of Boxes Capacity of Boxes Colour Touch Screen Control Panel or Client PC 1 Public Box, 200 Private User Boxes

100 Folders Per Box, 400 Documents Per Folder/Box,

200 Pages Per Document

KN-1103

#### Accessories (Options)

Additional Paper Options Large Capacity Feeder

Finisher Guide Rail

Finishing Options
50-Sheet Staple Finisher MJ-1111-B
Saddle-Stitch Finisher MJ-1112-B
Hole Punch Unit for MJ1111/MJ1112MJ-6106-N
Side Exit Tray KA-6551

Connectivity/Security Options
FAX Unit/2nd Line for FAX Unit

FAX Unit/2nd Line for FAX Unit
Wireless LAN/Bluetooth
Accessory Tray
Panel 10-Key Option
GR-1340
Card Reader Holder
Meta Scan Enabler
GS-1010
IPsec Enabler
Unicode Font Enabler
GD-1370
GR-1370
GR-1330
GR-1330
GR-1340
GR-1320
GS-1010

Embedded OCR Enabler
Single License GS-1080
Five Licenses GS-1085
Multi-Station Print Enabler
Single License GS-1090
Five Licenses GS-1095

Miscellaneous Options
Accessible Arm KK-2560
Harness Kit for Coin Controller GQ-1280
Manual Pocket KK-5008



Interface









