

Product specifications

Product information

[HP LaserJet Enterprise MFP M725 series](#)

Functions	Print, copy, scan
Printer page yield	Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit hp.com/go/learnaboutsupplies .
First page out (ready) black	As fast as 10 sec
Resolution (black)	Up to 1200 x 1200 dpi
Resolution technology	HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology 600 dpi, 300 dpi
Monthly duty cycle	Up to 200,000 pages Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Recommended monthly page volume	5000 to 20,000
Print Technology	Laser
Display	8.0-in (20.3 cm) touchscreen; LCD (color graphics) ; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
Number of print cartridges	1 (black)
Replacement cartridges	HP 14A Black LJ Toner Cartridge CF214A (10,000 pages); HP 14X Black LJ Toner Cartridge CF214X (17,500 pages) ^[2]
Print languages	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, PDF 1.4
Automatic paper sensor	No

Paper trays, standard	3
Paper trays, maximum	6
Mobile Printing Capability	HP ePrint; Apple AirPrint™; Mopria™-certified
Connectivity, standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host
Connectivity, optional	HP Jetdirect ew2500 802.11b/g Wireless Print Server J8021A; HP Jetdirect 2700w USB Wireless Print Server J8026A
Network ready	Standard (built-in Gigabit Ethernet)
Ports	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in
Minimum system requirements	Mac OS X 10.6, OS X Lion, OS X Mountain Lion;1 GB available hard disk space; operating system compatible hardware system requirements, CD-ROM/DVD-ROM or Internet, see apple.com Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008, Windows Server 2008 R2, Windows Server 2012 (64-bit); 200 MB available hard disk space; operating system compatible hardware system requirements, see http://www.microsoft.com
Compatible operating systems	Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008 (32 and 64-bit), Windows Server 2008 R2 (64-bit),Windows Server 2012 (64-bit); Mac OS X 10.6, OS X Lion, OS X Mountain Lion; For the latest operating system support see: Citrix and Windows Terminal Services (http://www.hp.com/go/upd); Novell (http://www.novell.com/iprint); Linux (http://www.hplip.net); UNIX (http://www.hp.com/go/unix , http://www.hp.com/go/unixmodelscripts ,

	http://www.hp.com/go/jetdirectunix_software); SAP device types (http://www.hp.com/go/sap/drivers , http://www.hp.com/go/sap/print); HP ePrint Mobile Driver (http://www.hp.com/go/eprintmobiledriver)
Memory, standard	1 GB
Memory, maximum	1.5 GB
Printer management	HP Web Jetadmin, HP Utility (Mac)
Print speed, color (draft)	Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Supported network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, XMPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print
Hard disk	Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)
Paper handling input, standard	100-sheet multipurpose tray, two 250-sheet input trays
Paper handling output, standard	250-sheet output bin
Duplex printing	Automatic (standard)
Envelope input capacity	Up to 10 envelopes
Finished output handling	Sheetfed
Media sizes supported	A3; A4; A5; B4 (JIS); B5 (JIS)
Media sizes, custom	Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 to 11.7 x 14.3 in; Tray 3: 5.8 x 8.3 to 11.7 x 17 in

Media types

	Paper (color, letterhead, light, plain, preprinted, prepunched, recycled, rough, tough paper), bond, cardstock, envelope, labels, transparency, vellum
Supported media weight	Tray 1: 16 to 53 lb; Tray 2, 3: 16 to 32 lb
Media weights by paper path	Tray 1: 60 to 199 g/m ² ; Trays 2, 3: 60 to 120 g/m ²
Power	110-volt input voltage: (Option #BGJ, #201) 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: (Option #AAZ) 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier)
Print speed, black (normal)	Up to 40 ppm
Power consumption	890 watts (Active print/copy), 39 watts (Ready), 6.5 watts (Sleep), 0.3 watts (Off) Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Values subject to change, see hp.com/support for current information.
Energy efficiency	ENERGY STAR® qualified, CECP, EPEAT® Silver
Operating temperature range	50 to 91°F
Operating humidity range	30 to 70% RH
Dimensions (W X D X H)	24.2 x 25.6 x 24 in
Dimensions Maximum (W X D X H)	34.1 x 38.9 x 24 in
Weight	119.3 lb
Package weight	151 lb
What's in the box	HP LaserJet Enterprise MFP M725; HP Black LaserJet Toner Cartridge (10,000 pages); Hardware Installation Guide; Support flyer; Warranty guide; Printer documentation and software on CD-ROM; Power cord

Cable included	No, please purchase USB cable separately
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.
Software included	Windows Installer, HP PCL 6 discrete driver, Mac SW Link to Web, [Postscript emulation driver & Installer on Web], Note: No Mac SW inbox
FCC	FCC Class A emissions - for use in commercial environments, not residential environments