

Specifications

Product Name		ScanSnap S1100i
General Technical Specifications		
Scanner Type		Single fed (Straight / U-turn path), CDF (Continuous Document Feeding), Simplex
Scanning Modes		Color, Grayscale, Monochrome, Automatic (Color / Grayscale / Monochrome detection)
Image Sensor		CIS (Color Image Sensor) x 1
Light Source		3 color LED (Red / Green / Blue)
Optical Resolution		600 dpi
Scanning Speed(1) (A4 portrait / AC adapter)	Auto Mode(2)	7.5 seconds per page
	Normal Mode	7.5 seconds per page
	Better Mode	7.5 seconds per page
	Best Mode	7.5 seconds per page
	Excellent Mode	35 seconds per page
Document Size	Normal Mode	Maximum: 216 x 360 mm (8.5 in. x 14.17 in.) 279 x 431.7 mm (11 in. x 17 in.) with Carrier Sheet Minimum: 25.4 x 25.4 mm (1 in. x 1 in.)
	Long Paper Scanning(3)	863 mm (34 in.)
Paper Weight (Thickness)		52 to 209 g/m ² (14 to 56 lb) (Straight path), 52 to 80 g/m ² (14 to 20 lb) (U-turn path) Cards: 0.76 mm or less (Non-embossed), 0.76 + 0.48 mm (Embossed) (ISO7810 Conforming)
Paper Setting		Front-side up
Interface(4)		USB 2.0 / USB 1.1
Power Requirement		5 V / 0.5 A
Power Consumption	Operating Mode	2.5 W or less
	Sleep Mode	1 W or less
	Auto Standby (Off) Mode	Less than 0.5W
Operation Environment	Temperature	5 to 35 °C (41 to 95 °F)
	Relative Humidity	20 to 80 % (Non-condensing)

Product Name	ScanSnap S1100i
Dimensions (W x D x H)(5)	273 x 47.5 x 34 mm (10.74 x 1.87 x 1.33 in.)
Device Weight	350 g (0.77 lb)
Environmental Compliance	ENERGY STAR® / RoHS
Driver	ScanSnap specific driver · Windows®: Does not support TWAIN/ISIS® · Mac OS: Does not support TWAIN
Inbox Contents	Getting started, Set-up DVD-ROM, USB cable

1. Scanning speeds may vary due to the system environment used. The time is measured between start of document feeding to finish of document output.
2. Scans will be made in "Best mode" if shorter sides are less than 148 mm (5.8 in.) and in "Better mode" if not.
3. Capable of scanning documents that exceed A4 size in length except for "Excellent Mode".
4. Computer with USB 3.0 will work as USB 2.0 guaranteed only with USB cable provided with product.
5. When chute is closed.

System Requirements for PC

Compatible Operating Systems		Windows	
		10 / 8.1 (32-bit / 64-bit)(1)	7 (32-bit / 64-bit)
Driver / Applications(2)	ScanSnap Home(4)	Supported	Supported
	ABBYY FineReader for ScanSnap™	Supported	Supported
Hardware Requirements(3)	CPU(5)	Intel® Core™ i3 1.8 GHz (2 core) or higher (Recommended: Intel® Core™ i5 2.5 GHz or higher)	
	Memory Capacity(5)	2 GB or more (Recommended: 4 GB or more)	
	Display Resolution	1,024 × 768 pixels or more	
	Disk Capacity(6)	3.8 GB or more of the free hard disk space	